Name of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category 19/9/2020

| tem No | Discription of Item | No | Length | Avg Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|---|
| 3 | KSRB 2-2 : Earthwork excavation by manual means for foundation of buildings, water supply and sanitary lines and electrical conduits etc, either in pits or in trenches 1.5m and above in width, in soil not exceeding 1.5 m. in depth including dressing the bottom and sides of pits and trenches, stacking the excavated soil clear from edges of excavation with lead upto 50 m. including breaking of clods complete as per specifications. (P.No-5,I No-2.3) | | | | | | |
| | **Burial Ground** | | | | | | |
| | Compound Wall FromMain Road Gate | 1 | 2.95 | 1.10 | 1.20 | 3.89 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.45 | 1.10 | 1.20 | 3.23 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.55 | 1.10 | 1.20 | 3.37 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.52 | 1.10 | 1.20 | 3.33 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.63 | 1.10 | 1.20 | 3.47 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.55 | 1.10 | 1.20 | 3.37 | |
| | | 1 | 3.90 | 1.10 | 1.20 | 5.15 | |
| | South Gate | | | | | | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.45 | 1.10 | 1.20 | 3.23 | |

CSF

19/9/20
Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

| m | Discription of Item | No | Length | Avg Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|---|
| | | 1 | 2.47 | 1.10 | 1.20 | 3.26 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.46 | 1.10 | 1.20 | 3.25 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.50 | 1.10 | 1.20 | 3.30 | |
| | | 1 | 2.46 | 1.10 | 1.20 | 3.25 | |
| | | 1 | 2.53 | 1.10 | 1.20 | 3.34 | |
| | | 1 | 2.55 | 1.10 | 1.20 | 3.37 | |
| | For Coloumns | 44 | 0.45 | 1.10 | 1.20 | 26.14 | |
| | Security Room | 2 | 2.82 | 1.10 | 1.20 | 7.44 | |
| | | 1 | 3.70 | 1.10 | 1.20 | 4.88 | |
| | Gazebo | 1 | 17.20 | 1.10 | 1.00 | 18.92 | |
| | Gazebo Platform | 2 | 2.45 | 1.10 | 1.00 | 5.39 | |
| | Pipe Line | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 10.00 | 0.60 | 0.90 | 5.40 | |
| | | 1 | 12.00 | 0.60 | 0.90 | 6.48 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 14.00 | 0.60 | 0.90 | 7.56 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 30.00 | 0.60 | 0.90 | 16.20 | |
| | | 1 | 20.00 | 0.60 | 0.90 | 10.80 | |
| | | 1 | 25.00 | 0.60 | 0.90 | 13.50 | |
| | | 1 | 11.00 | 0.60 | 0.90 | 5.94 | |
| | Entrance Arch Footing | 2 | 1.80 | 1.80 | 1.50 | 9.72 | |
| | | | | | **Present Qty** | **445.23** | **Cum** |

19/9/20
Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

19/9/20
Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

**Name of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category** 22/9/2020

| Item No | Discription of Item | No | Length | Breadth | Avg Depth | Qty | Unit |
|---|---|---|---|---|---|---|---|
| 7 | KSRB 4-1.2 : Providing and laying in position plain cement concrete of mix 1:3:6 with OPC cement @ 220kgs, with 40mm and down size graded granite metal coarse aggregates @0.892cum and fine aggregates @ 0.465cum machine mixed, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation including cost of all materials, labour, HOM of machinery, curing complete as per specifications. Specification No. KBS 4.1, 4.2. (P.No. 12/I.No. 4.2 of CSR 2016-17) | | | | | | |
| | **Burial Ground** | | | | | | |
| | Compound Wall FromMain Road Gate | 1 | 2.95 | 1.10 | 0.15 | 0.49 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.45 | 1.10 | 0.15 | 0.40 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.55 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.52 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.63 | 1.10 | 0.15 | 0.43 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.55 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 3.90 | 1.10 | 0.15 | 0.64 | |
| | South Gate | | | | | | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.45 | 1.10 | 0.15 | 0.40 | |

CSR 22/9/20

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

| Item No | Discription of Item | No | Length | Breadth | Avg Depth | Qty | Unit |
|---|---|---|---|---|---|---|---|
| | | 1 | 2.47 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | | 1 | 2.46 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.50 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.46 | 1.10 | 0.15 | 0.41 | |
| | | 1 | 2.53 | 1.10 | 0.15 | 0.42 | |
| | For Coloumns | 1 | 2.55 | 1.10 | 0.15 | 0.42 | |
| | Security Room | 44 | 0.45 | 1.10 | 0.15 | 3.27 | |
| | | 2 | 2.82 | 1.10 | 0.15 | 0.93 | |
| | Gazebo | 1 | 3.70 | 1.10 | 0.15 | 0.61 | |
| | Gazebo Platform | 1 | 17.20 | 1.10 | 0.15 | 2.84 | |
| | Entrance Arch Footing | 2 | 2.45 | 1.10 | 0.15 | 0.81 | |
| | Security Room Flooring | 2 | 1.80 | 1.80 | 0.15 | 0.97 | |
| | Gazebo Flooring | 1 | 3.70 | 2.80 | 0.15 | 1.55 | |
| | Gazebo Platform | 1 | 5.20 | 5.20 | 0.15 | 4.06 | |
| | | 1 | 1.89 | 0.56 | 0.15 | 0.16 | |
| | | | | | **Present Qty** | **33.30** | **Cum** |

22/9/20

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

22/9/20

Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

Name of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category 28/9/2020

| Discription of Item | No | Length | Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|
| KSRB 5.2-3 : Providing and constructing granite / trap / basalt size stone masonry in foundation with cement mortar 1:6, stone hammerd dressed in courses not less than 20 cms high, bond stones at two m. apart in each course including cost of materials, labour, curing complete as per specifications.(P.No-23,I No-5.6) | | | | | | |
| **Burial Ground** | | | | | | |
| **1st Step** | | | | | | |
| Compound Wall FromMain Road Gate | 1 | 2.95 | 0.60 | 0.90 | 1.59 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.45 | 0.60 | 0.90 | 1.32 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.55 | 0.60 | 0.90 | 1.38 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.52 | 0.60 | 0.90 | 1.36 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.63 | 0.60 | 0.90 | 1.42 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.55 | 0.60 | 0.90 | 1.38 | |
| | 1 | 3.90 | 0.60 | 0.90 | 2.11 | |
| South Gate | | | | | | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.45 | 0.60 | 0.90 | 1.32 | |
| | 1 | 2.47 | 0.60 | 0.90 | 1.33 | |

CSF

28/9/20

Asst. Executive Engineer
Project Division, Dasarahalli Zone
BBMP, Bangalore

| Discription of Item | No | Length | Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| | 1 | 2.46 | 0.60 | 0.90 | 1.33 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.50 | 0.60 | 0.90 | 1.35 | |
| | 1 | 2.46 | 0.60 | 0.90 | 1.33 | |
| | 1 | 2.53 | 0.60 | 0.90 | 1.37 | |
| For Coloumns | 1 | 2.55 | 0.60 | 0.90 | 1.38 | |
| Security Room | 44 | 0.45 | 0.75 | 0.90 | 13.37 | |
| | 2 | 2.82 | 0.60 | 0.90 | 3.05 | |
| | 1 | 3.70 | 0.60 | 0.90 | 2.00 | |
| **2nd Step** | | | | | | |
| Compound Wall FromMain Road Gate | 1 | 2.95 | 0.45 | 0.60 | 0.80 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.45 | 0.45 | 0.60 | 0.66 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.55 | 0.45 | 0.60 | 0.69 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.52 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.63 | 0.45 | 0.60 | 0.71 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.55 | 0.45 | 0.60 | 0.69 | |
| | 1 | 3.90 | 0.45 | 0.60 | 1.05 | |
| South Gate | | | | | | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

| Discription of Item | No | Length | Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.45 | 0.45 | 0.60 | 0.66 | |
| | 1 | 2.47 | 0.45 | 0.60 | 0.67 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.46 | 0.45 | 0.60 | 0.66 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.50 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.46 | 0.45 | 0.60 | 0.66 | |
| | 1 | 2.53 | 0.45 | 0.60 | 0.68 | |
| | 1 | 2.55 | 0.45 | 0.60 | 0.69 | |
| For Coloumns | 44 | 0.45 | 0.60 | 0.60 | 7.13 | |
| Security Room | 2 | 2.82 | 0.45 | 0.60 | 1.52 | |
| | 1 | 3.70 | 0.45 | 0.60 | 1.00 | |
| Gazebo | 1 | 17.20 | 0.45 | 0.60 | 4.64 | |
| Gazebo Platform | 2 | 2.45 | 0.45 | 0.60 | 1.32 | |
| | | | | **Present Qty** | **122.91** | **Cum** |

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

28/9/20
Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore

**Name of Work :Development of Shettyhalli Burial Ground in S.No.55,56 and Deep land ward No12 C Category** 10/11/2020

| Item No | Discription of Item | No | Length | Avg Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|---|
| 16 | KSRB 4-1.6 ; Providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 240kgs, with 20mm and down size graded granite metal coarse aggregates @ 0.69 cum and fine aggregtes @ 0.459cum, machine mixed, concrete laid in layers not exceeding 15 cms. thick, well compacted, in foundation, plinth and cills, ncluding cost of all materials, labour, HOM of machinery, curing complete as per specifications (P.No-12,I No-4.6) | | | | | | |
| | **Burial Ground** | | | | | | |
| | Compound Wall FromMain Road Gate | 1 | 2.95 | 0.20 | 0.10 | 0.06 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.45 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.55 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.52 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.63 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.55 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 3.90 | 0.20 | 0.10 | 0.08 | |
| | Gate | | | | | | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

| Item No | Discription of Item | No | Length | Avg Breadth | Depth | Qty | Unit |
|---|---|---|---|---|---|---|---|
| | | 1 | 2.45 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.47 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.46 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.50 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.46 | 0.20 | 0.10 | 0.05 | |
| | | 1 | 2.53 | 0.20 | 0.10 | 0.05 | |
| | For Coloumns | 1 | 2.55 | 0.20 | 0.10 | 0.05 | |
| | Security Room | 44 | 0.45 | 0.45 | 0.10 | 0.89 | |
| | | 2 | 2.82 | 0.20 | 0.10 | 0.11 | |
| | Gazebo | 1 | 3.70 | 0.20 | 0.10 | 0.07 | |
| | | 1 | 17.20 | 0.45 | 0.10 | 0.77 | |
| | | | | | **Present Qty** | **4.05** | **Cum** |

Asst. Executive Engineer
Project Division, Dasrahalli Zone
BBMP, Bangalore

Assistant Engineer
Project division,Dasrahalli
BBMP Bangalore

19/11/20
Asst. Executive Engineer,
Project division,Dasrahalli
BBMP Bangalore